

2

AD-A271 821



This estimate is based on a survey of responses, including the time for reviewing instructions, searching existing data sources, gathering and reviewing the collection of information, Send comments regarding this burden estimate or any other aspect of this collection of information, including this burden estimate, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

2. REPORT DATE  
October 19933. REPORT TYPE AND DATES COVERED  
Interim April 1992 - October 1993

4. TITLE AND SUBTITLE Structure and hydrogen bond dynamics of water-dimethyl sulfoxide mixtures by computer simulations.		5. FUNDING NUMBERS Grant N00014-92-J-1361 R&T Code 4131066 Scientific Officer: Peter Schmidt	
6. AUTHOR(S) A. Luzar and D. Chandler			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Department of Chemistry University of California Berkeley, CA 94720		8. PERFORMING ORGANIZATION REPORT NUMBER Technical Report #1	
9. SPONSORING, MONITORING AGENCY NAME(S) AND ADDRESS(ES) Department of the Navy Office of Naval Research 800 N. Quincy Street Arlington, VA 22217-5660		10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES Published in Journal of Chemical Physics.			
12a. DISTRIBUTION AVAILABILITY STATEMENT This document has been approved for public release and sale; its distribution is unlimited.		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) See attached.			
14. SUBJECT TERMS Microscopic aspects of hydrophobic - hydrophilic solvation, water-DMSO mixtures, simulation.		15. NUMBER OF PAGES	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT

OFFICE OF NAVAL RESEARCH

GRANT: N00014-92-J-1361

R&T Code 4131066  
Scientific Officer: Peter Schmidt

Technical Report No. 1

Structure and Hydrogen Bond Dynamics of Water-Dimethyl Sulfoxide Mixtures  
by Computer Simulations

by

A. Luzar and D. Chandler

Published in the  
Journal of Chemical Physics

Department of Chemistry  
University of California, Berkeley  
Berkeley, CA 94720

October 1993

93-26633  


Reproduction in whole, or in part, is permitted for any purpose of the United States Government.

This document has been approved for public release and sale, its distribution is unlimited.

00 11 00 00 1

## Abstract

We have used two different force field models to study concentrated dimethyl sulfoxide (DMSO)-water solutions by molecular dynamics. The results of these simulations are shown to compare well with recent neutron diffraction experiments using H/D isotope substitution [A.K. Soper and A. Luzar, J. Chem. Phys. 97, 1320 (1992)]. Even for the highly concentrated 1DMSO : 2H<sub>2</sub>O solution, the water hydrogen-hydrogen radial distribution function,  $g_{HH}(r)$ , exhibits the characteristic tetrahedral ordering of water-water hydrogen bonds. Structural information is further obtained from various partial atom-atom distribution functions, not accessible experimentally. The behavior of water radial distribution functions,  $g_{OO}(r)$  and  $g_{OH}(r)$  indicate that the nearest neighbor correlations among remaining water molecules in the mixture increase with increasing DMSO concentration. No preferential association of methyl groups on DMSO is detected. The pattern of hydrogen bonding and the distribution of hydrogen bond lifetimes in the simulated mixtures is further investigated. Molecular dynamics results show that DMSO typically forms two hydrogen bonds with water molecules. Hydrogen bonds between DMSO and water molecules are longer lived than water-water hydrogen bonds. The hydrogen bond lifetimes determined by reactive flux correlation function approach are about 5 ps and 3 ps for water-DMSO and water-water pairs, respectively, in 1DMSO: 2H<sub>2</sub>O mixture. In contrast, for pure water, the hydrogen bond lifetime is about 1 ps. We discuss these times in light of experimentally determined rotational relaxation times. The relative values of the hydrogen bond lifetimes are consistent with a statistical (i.e., transition state theory) interpretation.

Accession For	
NTIS	CRM&I <input checked="" type="checkbox"/>
DTIC	TAS <input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
<b>A-1</b>	

DTIC TAB